(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



I NEGOE THINDIE IY DICHIG DICHI CEHA CEHA DIKA KALIK DERA KEDIA HADIA 18AKE NADI KADI DICHIDI KEDI KIZI KIZA K

(43) International Publication Date 13 July 2006 (13.07.2006)

PCT

(10) International Publication Number WO 2006/072927 A1

- (51) International Patent Ciassification⁷: C10L 1/20, 10/00
- (21) International Application Number:

PCT/IL2005/000058

- (22) International Filing Date: 16 January 2005 (16.01.2005)
- (25) Filing Language:

English

(26) Pubilcation Language:

English

(30) Priority Data:

60/536,223

14 January 2004 (14.01.2004) US

- (71) Applicant (for all designated States except US): SOREQ NUCLEAR RESEARCH CENTER [IL/IL]; Nahal Soreq, 81800 Yavne (IL).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): GROF, Yair [II_III]; i i/i Vilkomitz Street, 76448 Rehovot (IL).
- (74) Agent: KLEIN, David; Beit HaRoffim, 18 Menuha VeNahala Street, Room 27, 76209 Rehovot (IL).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

FUEL ADDITIVE COMPRISING AN ALKYL HALIDE

FIELD OF THE INVENTION

The present invention relates generally to fuel additives and method therefor.

BACKGROUND OF THE INVENTION

Methods and systems for marking liquid hydrocarbons or fuels are known in the art. The fuel is generally marked by a substance that can be detected, thereby identifying the source of the fuel. For example, a simple dyeing substance may be mixed with the fuel, thereby changing the color of the fuel and allowing the fuel to be identified according to the marked color. Alternatively, the marking substance can emit light at an invisible wavelength, wherein the fuel is identified by measuring the emitted wavelength by an optical detector. According to other methods, the fuel is marked with an organic compound whose presence is later detected by a spectrometer.

One example of fuel marking systems is described in PCT published patent application WO 02/098199 (PCT application PCT/IL02/00431).

SUMMARY OF THE INVENTION

The present invention seeks to provide a novel fuel additive, as is described more in detail hereinbelow.

The inventors have surprisingly found a new property for a substance that had been previously used simply to mark fuels, as in PCT published patent application WO 02/098199. For example, tetrabromoethane (TBE) has been added to petroleum-based fuels, such as gasoline or diesel fuel, for the purposes of marking the fuel as an anti-theft procedure. The inventors have now found that TBE (and other substances) may be used as a fuel additive to improve combustion characteristics, as is described more in detail hereinbelow.

DETAILED DESCRIPTION OF EMBODIMENTS

The fuel additive of the present invention may be added in small amounts to fuel, such as but not limited to, 1-10 ppm. This small amount does not affect the color or operative properties of the fuel.

Throughout the specification and claims, the term "fuel" refers to any liquid hydrocarbon, including but not limited to, petroleum products either refined or unrefined, such as crude oil, naphtha, gasoline, diesel fuel, jet fuel, kerosene, propane, lubricant (e. g., engine oil), hydraulic fluid, natural gas (either in gaseous or liquefied form), and the like.

2

The fuel additive of the present invention is stable, miscible in and compatible with the fuel. For example, the fuel additive may comprise a halogenic compound, such as an alkyl halide having the general formula $C_nH_{2n+2-m}X_m$, where $n=1,2,3...,\ m=1,2,3...X$ is a halogen such as fluorine (F), chlorine (Cl), bromine (Br), and iodine (I). An example of such an alkyl halide is tetrabromoethane (TBE) ($C_2H_2Br_4$).

Other examples of alkyl halides, which may be used to carry out the invention include but are not limited to: 1,1,2,2 tetrachloroethane ($C_2H_2Cl_4$), 1,1,2 trichloroethane ($C_2H_3Cl_3$), pentachloroethane (C_2HCl_5), hexachloroethane (C_2Cl_6), 1,2,4 trichloro cyclohexane ($C_6H_9Cl_3$), 1,2,4,5 tetrachloro cyclohexane ($C_6H_8Cl_4$), ethyliodide (C_2H_5I), ethylbromide (C_2H_5Br), dichloro 1,2 dibromoethane ($C_2H_2Cl_2Br_2$), dichlorotribromoethane ($C_2HCl_2Br_3$), difluoro 1 chloroethane ($C_2H_3F_2Cl$), difluoro 1,2 dibromoethane ($C_2H_2F_2Br_2$), trifluor 1,2,2 dibromoethane ($C_2HF_3Br_2$), tribromopropane ($C_3H_5Br_3$), dibromocyclohexane ($C_6H_{10}Br_2$), dibromoethane ($C_2H_4Br_4$), n-propylbromide (C_3H_7Br), 1-bromo, 4-fluoro cyclohexane ($C_6H_{10}FBr$), butylbromide (C_4H_9Br) and octylbromide ($C_8H_{17}Br$).

The fuel additive of the present invention is preferably immiscible in water. One of the advantages of this property is that sometimes there is a water phase in fuels or in storage tanks, and the insolubility of the fuel additive in water means that the fuel additive remains in solution with the fuel and is not lost to the water phase.

The fuel additive of the present invention may create a large amount of free radicals. Free radicals lead to a smoother and more uniform temperature gradient and more complete combustion in the combustion chamber. In this manner, the fuel additive improves fuel consumption.

In addition, the fuel additive of the present invention may trap heavy metal ions present in petroleum-based fuels. The trapped heavy metal ions then exit with the exhaust, instead of accumulating on the inner walls and surfaces of the combustion chamber. Thus the fuel additive has the synergistic effect of not only improving fuel consumption but also causing the combustion chamber to be cleaner, which in turn further improves fuel consumption.

It is noted that the present invention is not bound or limited in any way to the above postulations of free radicals and trapping heavy metal ions. They are presented merely as a

3

possible way of understanding how the fuel additive of the present invention improves performance of an internal combustion engine.

It will be appreciated by persons skilled in the art that the present invention is not limited by what has been particularly shown and described hereinabove. Rather the scope of the present invention includes both combinations and subcombinations of the features described hereinabove as well as modifications and variations thereof which would occur to a person of skill in the art upon reading the foregoing description and which are not in the prior art.

4 CLAIMS

What is claimed is:

1. A method comprising:

using an alkyl halide as a fuel additive to a fuel to increase completeness of combustion of the fuel.

- 2. The method according to claim 1, further comprising using the alkyl halide to increase cleanliness of a combustion chamber in which the fuel undergoes combustion.
- 3. The method according to claim 1, wherein said alkyl halide comprises tetrabromoethane.
- 4. The method according to claim 1, wherein said alkyl halide comprises at least one of tetrabromoethane ($C_2H_2Br_4$), 1,1,2,2 tetrachloroethane ($C_2H_2Cl_4$), 1,1,2 trichloroethane ($C_2H_3Cl_3$), pentachloroethane (C_2HCl_5), hexachloroethane (C_2Cl_6), 1,2,4 trichloro cyclohexane ($C_6H_9Cl_3$), 1,2,4,5 tetrachloro cyclohexane ($C_6H_8Cl_4$), ethyliodide (C_2H_5l), ethylbromide ($C_2H_5Br_3$), dichloro 1,2 dibromoethane ($C_2H_2Cl_2Br_2$), dichlorotribromoethane ($C_2HCl_2Br_3$), difluoro 1 chloroethane ($C_2H_3F_2Cl$), difluoro 1,2 dibromoethane ($C_2H_2F_2Br_2$), trifluor 1,2,2 dibromoethane ($C_2HF_3Br_2$), tribromopropane ($C_3H_5Br_3$), dibromo cyclohexane ($C_6H_{10}Br_2$), dibromoethane ($C_2H_4Br_4$), n-propylbromide (C_3H_7Br), 1- bromo, 4- fluoro cyclohexane ($C_6H_{10}FBr$), butylbromide (C_4H_9Br) and octylbromide ($C_8H_{17}Br$).

INTERNATIONAL SEARCH REPORT

PCT/IL2005/000058

A. CLASSIFI IPC 7	CATION OF SUBJECT MATTER C10L1/20 C10L10/00			
According to	international Patent Classification (IPC) or to both national classification	and IPC		
B. FIELDS S	EARCHED	· · · · · · · · · · · · · · · · · · ·		
Minimum doc	sumentation searched (classification system followed by classification sy ${\tt C10L}$	ymbols)		
	on searched other than minimum documentation to the extent that such		rched	
	ta base consulted during the international search (name of data base a			
EPO-Int	ternal, COMPENDEX, WPI Data, PAJ, INSF	PEC		
C. DOCUME	NTS CONSIDERED TO BE RELEVANT		Salaran Maraham Ma	
Category °	Citation of document, with indication, where eppropriate, of the relevan	unt passages	Relevant to claim No.	
Х	US 2 490 606 A (WILLIAMS CHARLES G ET AL) 6 December 1949 (1949-12-06 claim 1; tables I-IV	1–4		
X	WO 02/098199 A (SOSCHIN, MOSHE; BE ITZHAK, UZIEL) 12 December 2002 (2002-12-12) cited in the application line 17 - page 14, line 3; claim 1	1-4		
х	GB 718 567 A (NAAMLOOZE VENNOOTSCH BATAAFSCHE PETROLEUM MAATSCHAPPIJ) 17 November 1954 (1954-11-17) page 1, lines 23-27; claim 1; exam	1-4		
X	GB 854 964 A (ETHYL CORPORATION) 23 November 1960 (1960-11-23) page 10, lines 55-66; claim 1; exa	1-4		
Fu	ther documents are listed in the continuation of box C.	X Patent family members are listed	in annex.	
 Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filling date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filling date but later than the priorily date claimed Date of the actual completion of the international search 'T' later document published after the or priority date and not in conflicted to understand the principal inventive. 'X' document of particular relevance cannot be considered novel or involve an inventive and inventi			claimed invention of be considered to ocument is taken alone claimed invention or other such docu- ous to a person sidlled of family	
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,		Authorized officer Bertrand, S		
1	Fax: (+31-70) 340-3016			

INTERNATIONAL SEARCH REPORT

Information on patent family members

PCT/IL2005/000058

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 2490606	Α	06-12-1949	NONE		
WO 02098199	A	12-12-2002	BR CA CN EP WO MX MX, US	0210178 A 2446693 A1 1513118 A 1392146 A2 02098199 A2 PA01011530 A PA03010317 A 2004248307 A1	06-04-2004 12-12-2002 14-07-2004 03-03-2004 12-12-2002 21-04-2004 09-03-2004
GB 718567	Α	17-11-1954	NONE		
GB 854964	Α	23-11-1960	DE	1115520 B	19-10-1961